



META
META

WEATHER PROOFING: MANAGING WATER WITH ROADS



FRANK VAN STEENBERGEN

FVANSTEEBERGEN@METAMETA.NL

CERTIFIED IRF WORKSHOP 18 SEPTEMBER 2015

Program



1. Introduction
2. Discussion on designs and guidelines for road water management
3. Discussion on governance
4. Ways forward

Opportunity

To have roads for systematically used for water management, in different economic and environmental settings



Examples: roads as flood protection



Examples: Roads as spillway



Examples: Groundwater recharge



Because

- Annual investment 700 Million USD
- 40% in developing countries
- 1 Billion people totally unconnected
- Increased water stress – most poor in water stressed areas (74%)
- MDB's invest USD 17.5 Billion/Yr up to 2022
- **United Nations Secretary-General's High-Level Advisory Group on Sustainable Transport:**
'Transport plays an essential role in countries' economic growth, competitiveness, balanced and liveable spatial development, access to water and energy and food saving'



Continued increasing demands on water

- The demand for food is expected to rise with 60% by 2050
- Caused by rising population (40%) and higher per capita calory intake (11%) and intake of lower calory items (especially fruits and vegetables)
- The supermarket revolution particularly effects groundwater >
 - Higher quality standards
 - More uniformity
 - Vegetables
 - Throughout the year
 - Special agronomy



Demand for fibre and bio-energy

- Demand for sawn wood to increase with 45% from 2005-2030, in the same period, demand for roundwood with 47% and for wood panels 120%
- Demand for cotton is to increase with 81% between 2010 and 2050
- Demand for bio-energy = dark horse, depends on 2nd generation bio-fuels among others



Because



Water main source of ((potential) damage to roads

Roads change the surface hydrology and have major impacts on run-off

- now often causing local flooding, water logging and erosion
- this can be turned around in large potential for water harvesting and water management

Roads acting as dikes or drains

10



Example current situation 'roads and water as enemies'

- On average in 10 kilometer (research in Tigray, Ethiopia on highways)
 - Erosion and sedimentation: 7.5 locations
 - Flooding of houses and land: 2 locations
 - Persistent waterlogging: 4 location
 - Lost opportunity to capture water 4 M m³
 - Unpaved roads main source of sedimentation (>10%)
- Deficiencies in governance process
 - Missing from guidelines
 - No coordination
 - No interaction with road-side stakeholders

Current situation 'insensitive roads'


- Social impacts
 - Damage to land and property
 - Dust: health and loss of production
 - Missed opportunity
- Impact on roads
 - Direct damage due to water
 - Added to this: water-related landslides
 - Feeder roads: huge maintenance costs due to inadequate drainage/ water management
 - Common cause of delay are drainage Issues (ERA)


Urgent need to turn things around











Triple Win

REDUCED WATER
DAMAGE
TO ROADS

HIGHER CLIMATE
RESILIENCE

REDUCED
DAMAGE FROM ROADS
THROUGH FLOODING,
EROSION AND SEDIMENT
DEPOSITION

NEW EU PROCUREMENT RULES



WATER MANAGED
FOR PRODUCTIVE USE

RISING GROUNDWATER
LEVELS

INCREASED SOIL
MOISTURE

WATER RETENTION

FLOOD MANAGEMENT

Examples of what can be done with watershed and water management programs

1. Using run-off and water flows generated by roads

1. Spreading water from road surface
2. Harvesting water from culverts, side drains and depressions
 - Converted borrow pits
 - Infiltration ponds
 - Infiltration trenches/ pits
 - Swallows
 - Dug outs
3. Gully plugging for recharge
4. Spring capture

Examples of what can be done with watershed and water management programs

2. Managing water flows with roads

- Water management in polders with controlled culverts
- Steering fish movement
- Roads doubling up as riveraine/ coastal flood embankment – synchronized use
- Flood compartmentalization

Other opportunities – by changing road designs

3. Improving road design for multiple functions

- 1 Irish bridges/ fords:
 - for flood water spreading
 - for river bed stabilization
 - acting as sand dams
- 2 Changing road alignment to recharge areas
- 3 Change culvert location
- 4 Permeable road foundations

Many other opportunities to better use of roads for water!

4. Additional

1. Road side tree planting
2. Reuse excavated bed material from roads for soil improvement
3. Sand harvesting along roads
4. Controlling rodents
5. Avoiding sand dune movement



ROAD SIDE PONDS




ROAD SIDE CISTERNS



SPRING CAPTURE




ROLLING DIPS/ WATER BARS ON UNPAVED ROADS FOR WATER HARVESTING



NON VENTED DRIFTS ACTING AS SAND DAMS




DRIFT AS BED STABILIZER



ROAD BODY = RESERVOIR EMBANKMENT




POLDER MANAGEMENT THROUGH CULVERTS



Optimize

- Ability to harvest
- Flood risk
- Roadside scouring
- Risk of gully initiation/development
- Costs



ON-GOING CAMPAIGNS IN AMHARA AND TIGRAY

- Implemented since 2014
- Engaged 0.75 M and 1.5 M people in 2015 campaigns
- Monitoring
 - Impact specific to location and specific intervention, compared with base year in different locations
 - Soil moisture content increases (30-60%)
 - Shallow groundwater levels increases (>1.9 M)
 - Control of flood run-off (discharge reduced Surface water storage)
 - Water quality (not traceable)



SNAPSHOTS FROM ON-GOING CAMPAIGNS

33

Spreading water
from culverts –
avoids gullies
and
increases soil
moisture



Construction of Deep trenches at downstream side of roads to recharge the groundwater and improve moisture conditions of soils.

Road side ponds to recharge groundwater and enhance in-situ moisture in soils.




Road side runoff is channeled into farmlands (used to improve soil moisture and reduce runoff to downstream areas).



(f)

(Runoff from a town is managed through a number of options:

- Construction of deep trenches to reduce runoff and enhance groundwater recharge.
- Diverting water from culverts into a borrow pit for surface water storage and groundwater recharge.




Communities which used to have been affected by flooding are saved from flooding.

Example: Effects on Groundwater Levels

Water from a culvert and road side drainage channeled into a pond:

- Enhanced the shallow groundwater.




Note: Borrow pit was used as water storage in the month of July 2014.

Yield impacts of road form water in Sinqata



NEW WATER RESOURCES



Observations

40

- Climate resilient roads should not only mean making more costly and weather-proof roads, but (at zero net cost) make the entire area resilient
- Institutionally there is often no link among water, road and land sectors but this should change
 - In modified guidelines and designs
 - In budget procedures
 - In capacity building and governance
- Need to create in different condition close linkages – requires different techniques



Need to balance



Road costs

Road functionality

Road safety

Reduced/ zero damage to surrounding area

Optimized water use around roads (depending on the area)



Drainage design and road surfaces

- Location of drains
- Length of drains
- Sand harvesting from drains



Design of culverts and associated structures for beneficial water use

- Culvert placement (concentrated or distributed road drainage)
- Culvert design
- Culvert size
- Fish passage from culverts
- Downstream erosion control
- Water spreading from culverts
- Protected culvert structures (road side safety)



Roads and flood management

- Contribution of roads to flood control
- Roads as embankments and evacuation areas and flood shelters
- Roads in low lying flood plains – managing water retention



Road side water harvesting structures

- Storage ponds (location and dimensions)
- Infiltration ponds (location and dimensions)
- Deep trenches (location and dimensions)
- Urban soak pits



River crossings

- Using drifts and low causeways as sand dams
- Using fords and low causeways as river bed stabilizer or flood water spreaders
- Blocking/ opening the vents



Spring capture and protection

- Spring protection
- Safe channeling



Reusing borrow pits and quarries for water storage

- Location of borrow pits
- Landscaping and protection of borrow pits
- Use of spill ways
- Borrow pits in high water table areas



Landscape management around roads

- Erosion and run-off control
- Avoiding and preventing landslides
- Avoiding sand dune movement
- Using borrow material



Managing road side vegetation

- Dust capture and sediment control by trees and grasses
- Ensuring visibility for road users
- Distance from roads and bends (road safety)
- Selection of trees
- Selection of grasses and other vegetation
- Management of road side tree plantation

Do's and dont's



Reviewing designs

Ensuring road stability and road safety

Avoiding damage to surrounding areas

Optimizing beneficial use of water

Finding the opportunities:



Roads for harvesting water

Roads for flood protection

Roads for controlled drainage and water table control

Roadside vegetation

Governance and management



How to integrate?

- In modified guidelines and designs
- In planning and budget procedures
- In capacity building and training

Ideas and experiences?




Roads for Water Initiative



1. Work with road programs
2. Work on optimized practices
 - Guidelines and designs
 - Investment budgets
 - Maintenance practices
 - Social interaction and cooperation
3. Capacity building
 - Short courses
 - Guided learning
 - Tools (models)
 - Research
4. www.roadsforwater.org





Alliance

59

Please join and contact:

marta@metameta.nl

www.roadsforwater.org

